

949 Call# processing  
(ACV) 03/03/11rev; 9APR12rev; rev03AUG12;rev18AUG2014

Verify count of records

Verify count of 050 fields (Process 090-type call# records manually)

1. Create 949 field for all records.

Note: indicators are both blank (use a slash for the blank)

The screenshot shows the 'Add/Delete Field Utility' window. On the left is a sidebar with links: 'Add/Delete Field', 'Copy Field Data', 'Edit Indicators', 'Edit Subfield Data', and 'Swap Fields'. The main area has 'Field:' set to '949' and 'Field Data:' set to '\'. Below these are 'Search Options' with checkboxes: 'Match case' (unchecked), 'Insert before' (checked), 'Insert last' (unchecked), 'Add field only if not present' (unchecked), 'Use Regular Expression' (unchecked), 'Remove Duplicate Data' (unchecked), and 'Remove if field data does not match' (unchecked). On the right are buttons for 'Delete Field', 'Add Field' (highlighted with a red box), and 'Close'.

2. Swap Class#: 050\$a to 949\$a

Note: Records with multi-050 will create additional 949s

The screenshot shows the 'Swap Field Utility' window. The 'Original Data' section has 'Field' set to '050', 'Indicators' blank, 'Subfields' set to 'a', and 'Find:' blank. The 'Modified Data' section has 'Field' set to '949', 'Indicators' blank, 'Subfields' set to 'a', and a 'Process' button (highlighted with a red box) next to a 'Close' button. Below are 'Search Options' with checkboxes: 'Copy Source' (checked), 'Add to existing field' (checked), and 'Override Default Behavior' (unchecked).

3. Add Format phrase at end of subfield \$a (use code: ^e )  
INTERNET (note: add space before phrase)

The screenshot shows the 'Edit Subfield' window. 'Field:' is '949' and 'Subfield:' is 'a'. 'Field Data:' is '^e' (highlighted with a red box). Below is a 'Replace with:' field containing 'INTERNET'. On the right are buttons for 'Replace Text' (highlighted with a red box), 'Remove Text', and 'Close'. The 'Search Options' section has checkboxes: 'New subfield only' (unchecked), 'Add subfield if not present' (unchecked), 'Match case' (unchecked), 'Move subfield data' (unchecked), and 'Use regular expression' (unchecked).

4. Move Unique Number: 001 to 949\$v

Note: 001 uses Position 0:12

Note: Replace with: 949|v|| (uses three pipes)

The screenshot shows the 'Edit Subfield' dialog box in MarcEdit.NET. The 'Field' dropdown is set to '001' and the 'Position' is '0:12'. The 'Field Data' field is empty. The 'Replace with' field contains '949|v||'. The 'Replace Text' button is highlighted with a red rectangle. The 'Search Options' section includes checkboxes for 'New subfield only', 'Add subfield if not present', 'Match case', 'Move subfield data' (checked), and 'Use regular expression'.

5. Edit 949\$v to prepend parenthesis (use code: ^b )

The screenshot shows the 'Edit Subfield' dialog box in MarcEdit.NET. The 'Field' dropdown is set to '949' and the 'Subfield' is 'v'. The 'Field Data' field contains '^b'. The 'Replace with' field contains '('. The 'Replace Text' button is highlighted with a red rectangle. The 'Search Options' section includes checkboxes for 'New subfield only', 'Add subfield if not present', 'Match case', 'Move subfield data', and 'Use regular expression'.

6. Edit 949\$v to append parenthesis & Holdings info (use code: ^e )

) \$wLCASIS \$hWEB \$ILIB-ONLINE \$xONLINELOGN \$zLOAD

) \$wLCASIS \$hWEB \$IVIVAONLINE \$xONLINEVIVA \$zLOAD

The screenshot shows the 'Edit Subfield' dialog box in MarcEdit.NET. The 'Field' dropdown is set to '949' and the 'Subfield' is 'v'. The 'Field Data' field contains '^e'. The 'Replace with' field contains ') \$wLCASIS \$hWEB \$ILIB-ONLINE \$xONLINELOGN \$zLOAD'. The 'Replace Text' button is highlighted with a red rectangle. The 'Search Options' section includes checkboxes for 'New subfield only', 'Add subfield if not present', 'Match case', 'Move subfield data', and 'Use regular expression'.


- 6a. Edit 949\$vocm to remove blank preceding parenthesis:  
(in MarcEdit: a Slash-Parens)

The screenshot shows the 'Edit Subfield' dialog box in MarcEdit.NET. On the left is a blue sidebar with links: 'Add/Delete Field', 'Copy Field Data', 'Edit Indicators', 'Edit Subfield Data', and 'Swap Fields'. The main area has a title 'Edit Subfield'. It contains three input fields: 'Field:' with a dropdown set to '949', 'Subfield:' with a dropdown set to 'v', and 'Field Data:' with a text box containing '\)'. Below these is a 'Replace with:' text box containing ')'. To the right of these fields are three buttons: 'Replace Text' (highlighted with a red rectangle), 'Remove Text', and 'Close'. At the bottom, there is a 'Search Options' section with four checkboxes: 'New subfield only', 'Add subfield if not present', 'Match case' (checked), 'Move subfield data', and 'Use regular expression'.

7. Edit 949 to remove FormatPhrase / Unique# / ClassScheme for fields with no Class# (\$a)  
FindRegEx: (=949 \\\)( INTERNET)(\v.+)(\h.+) ReplWith \$1\$4  
(Or Find & edit from 090s manually)

The screenshot shows the 'Find/Replace' dialog box. It has two tabs: 'Find' and 'Replace'. The 'Replace' tab is active. It contains two input fields: 'Find what:' with a dropdown set to '(=949 \\\)( INTERNET)(\v.+)(\h.+)' and 'Replace with:' with a dropdown set to '\$1\$4'. To the right of these fields are three buttons: 'Replace', 'Replace All' (highlighted with a red rectangle), and 'Close'. At the bottom, there is a 'Search Options' section with two checkboxes: 'Match case' (unchecked) and 'Use regular expressions' (checked).

8. Remove extra 949s  
(created from duplicate 050s & don't include subfield indicators (the slash))  
FindRegEx: (=949 )(\\$.+)  
Delete: Use RegEx: ( \\$.+)



9. Remove extra 949\$a  
 (created from 050s that include a second/alternative \$a  
 Use RegEx: `(=949 )(.+\\$a.+)(\\$a.+)(\\$v.+)` ReplWith `$1$2$4`

