

Batch Load Point Counter -- CheckList -- Online Monographs
Processing performed in MARCEditor

Points (1 point equals 1 minute of processing)

When points exceed 150 (1 min per point): STOP & contact vendor & request a new record set (or find another vendor)

Statistics for vendor load:

Vendor	Aggregator	001	Records	Process/Load	Errors	Note

1	Field	Preparation & Reports	Points	Note	MARCEditor Reports
1.A		Validation identifies invalid records	1 +150	Stop Contact vendor	<u>Reports/MARCValidator</u> IdentifyInvalidRecords & Print report
1.B		Validation identifies invalid fields/data	2	Save for later review of each field during processing	<u>Reports/MARCValidator</u> <u>Validate Record</u> (HighlightAll / Copy / Paste into text file & Save)
1.C		MaterialType rpt identifies non-book record types	1 +150	Stop Contact vendor if Material Type includes Videos /Audios / Serials	<u>Reports/MaterialTypeReport</u> Print report & review
1.D	000/008	Field/Record count differs from vendor record count	1 +150	Stop Contact vendor Request revised load file	<u>Reports/FieldCount</u> Verify count of 000/008 occurrences
1.E		FieldCount rpt identifies count discrepancies in Field counts	1	Save to review fields during processing (Steps 3-5)	<u>Report/FieldCount</u> <u>GenerateReport</u> (TabDelimited) & Save Report
2	Field	Verify field in FieldCount and Validator reports	Points	Note	MARCEditor
2.A	000	FieldCount rpt identifies 000 Field NOT listed first	1 +150	Stop Contact vendor	<u>Report/FieldCount</u>
2.B	XXX	FieldCount rpt lists the LastField tag as NOT a number	1 +150	Stop Contact vendor	<u>Reports/FieldCount</u>
2.C	000: 05	Deleted record count: Field: 008 & Position 05 =d	2 +5	Identify/Remove records with status=deleted	Review deleted records <u>FindAll (RegEx): (=LDR)(\d{5})([d])(.+)</u>
2.D	245 / 245 \$a	Field/Record count differs from vendor record count	1 +2 each	Identify records from MARCValidator rpt with Multiple 245 / Lacking 245 Notify vendor	<u>Reports/MARCValidator</u> errors: Search Validator report for errors: One 245 field must be present 245: Has been marked as a non-repeating field
2.E	XXX	Fields/Records with ERRORS Often field/record count differs from vendor record count	2 +2 each	Identify records from MARCValidator rpt with validation errors Notify vendor	<u>Reports/MARCValidator</u> errors: Search Validator report for errors: Only one 1XX tag is allowed Has been marked as a non-repeating field Incomplete or Dangling Subfield
2.F	856\$u	Review vendor pkg URLs for broken links Note: Test 1 or 2 URLs	5 +150	Stop Contact vendor	Examine first record (Copy/Paste link in browser & Review results)

2.G	856	Field count is less than vendor record count (Field count often exceeds Record count)	2 +2 each	Compare vendor pkg count against Record count	<u>Report/FieldCount</u> Records lacking URL: ____ See :Step 3.M for further processing
3	Field	Review for Processing	Points	Note	MARCEditor
3.A	001	Field count equals Record count Identify records: OCLC# with prefix	1	Accept if present	<u>Report/FieldCount</u> Examine first record
3.B	001/035	Records lack 001: OCLC# present in 035 info	2	Move OCLC 035 info to 001	<u>Report/FieldCount</u> Examine first record
3.C	001/035	Records lack 001: Vendor control# present in 035 info	5	Move vendor 035 info to 001	<u>Report/FieldCount</u> Examine first record
3.D	001/035	Records lack 001: No 035 field	2	Create 001 control field	<u>Report/FieldCount</u> Examine first record
3.E	245 \$h	245 has multiple \$h subfields	1 +2 each	Identify records from MARCValidator report If fewer than 10 records, correct 245\$h manually	<u>Reports/MARCValidator errors:</u> Search Validator report for errors: 245- \$h: Subfield cannot repeat
3.F	245 \$h	Subfield count differs from Field count	1 +2 each	Identify records lacking \$h Add 245\$h	<u>Report/FieldCount</u> Review subfield counts (RightClick) <u>StartupMenu/Tools/RDA-Helper/Generate GMD</u>
3.G	RDA 33x	Verify presence of RDA fields: 336 / 337 / 338	1	Review for further processing	<u>Report/FieldCount</u>
3.H	856 \$u	Records contain non-pkg vendor URLs	2 +5	Identify/Delete fields with non-pkg vendor 856 Find URLs for vendors that are NOT part of the file'sspecified vendor pkg	<u>FindAll</u> (RegEx): (=856)(.(+)\\$http://)(?!<vendorAddy>).(.) Field sort & view count Find / Delete other vendor pkgs (that are NOT the specified vendor pkg) Ex: (=856)(.(+)\\$http://)(?!proquestcombo.safaribooksonline.com).(.)
3.I	856 \$z / etc.	Review FieldCount report for subfields not used locally Local practice: Use only subfields (in order): \$3 / \$y / \$u	1 +2	Determine which subfields are present in URL Identify/Delete non-local subfields: \$z (etc.)	<u>Report/FieldCount</u> Review subfield counts (RightClick)
3.J 3.K	856 \$3 856 \$y	URLs contain non-std data for subfield: \$y & \$3	2 +7	Identify/Delete 856 \$3 & \$y with non-local vendorInfo usage	<u>Report/FieldCount</u> Review subfield counts (RightClick)
3.L	856 \$y	URLs lack local \$y subfield data	2	Create \$y for vendor pkg phrase	Determine vendor package phrase
3.M	856 \$u	Adjusted Field count less than Record count Step 3.H processing may cause more records to lack a URL (compared to Step 2.F)	2 +2 each	Identify records lacking vendor pkg URL If fewer than 10 records, process manually	<u>Report/FieldCount</u> Review Adjusted Field count Search vendor site for URL & manually create appropriate 856
3.N	XXX	Various fields with invalid format or subfields	2 +2 each	Identify invalid fields with MARCValidator report If fewer than 10 records, correct fields/subfields manually Opt. : Notify vendor	<u>Reports/MARCValidator errors:</u> Search Validator report for errors: Subfield cannot repeat Invalid field format; invalid characters present

3.O	003	Verify Presence (Vendor MARC symbol)	1	If absent, create field with local MARC library symbol	<u>Report/FieldCount</u> Examine first record
3.P	007	Verify presence Field/Record count differs from vendor record count	1 +1	If absent, create field with defaults: (cr\unu)	<u>Report/FieldCount</u>
3.Q	040	Records lack 040	2	Create field with Vendor/Library OCLC symbol in \$a /\$ c	<u>Report/FieldCount</u> Examine first record
3.R	050/090	Verify presence in FieldCount report	2 +5	Review for later 949 processing Delete non-standard call#	<u>Report/FieldCount</u> Files with fewer call#s increase 949 processing time
3.S	506	Verify presence in FieldCount report	1 +1	Identify/Delete fields with non-std phrase Create field with std phrase	<u>Report/FieldCount</u>
3.T	530 / 533	Verify presence in FieldCount report	2 +2	Identify/Delete fields/subfields with non-std phrase	<u>Report/FieldCount</u>
3.U	516 / 538	Verify presence in FieldCount report	2 +2	Identify/Delete fields with non-std phrase Create 538 field with std phrase	<u>Report/FieldCount</u>
3.V	650	Verify presence in FieldCount report (Note: RightClick on Field to display SubfieldCounts to view indicator values/counts)	1 +1	Retain Ind2: 0 / 1 / 2 / 3 (LC/LCAC/NLM/NAL) Delete other thesaurus subjects: (CSH/RM /Sears) Ind2= 5 / 6 / 8	<u>Report/FieldCount</u> Review Indicator values (RightClick)
3.W	650 local subject	Verify presence in FieldCount report	+2 +2 +2	Swap BISAC 650 to 690 field 650 (ind2=7) with \$2bisacsh Delete other thesaurus subjects (650 with Ind2=7) Review "local" subj for retention: Ind2: 4 Review/delete "genre" type subjects: Electronic book(s) / Computer network resources	<u>Report/FieldCount</u> Review Indicator values (RightClick)
3.X	655	Verify presence in FieldCount report (Note: RightClick on Field to display SubfieldCounts to view indicator values/counts)	1 +1	Retain Ind2: 0 / 1 / 2 / 3 (LC/LCAC/NLM/NAL) genres Delete other thesauruses genres: (CSH/RM /Sears) Ind2= 5 / 6 / 8	<u>Report/FieldCount</u> Review Indicator values (Right-click)
3.Y	655 local genre	Verify presence in FieldCount report	+2 +2 +2	Retain GSAFD / LCGFT genres: 655 (ind2=7) with \$2gsafd or \$2lcgft Delete other thesaurus genres (655 with Ind2=7) Delete Local genres : 655 (ind2=4) Review/delete non-std genres: Electronic book(s) / Computer network resources:	<u>Report/FieldCount</u> Review Indicator values (Right-click)

3.Z 3.AA	600 / 610 / 611 651	Verify presence in FieldCount report (Note: On FieldCount rpt box -- Highlight/RightClick then choose CountSubfields. to view indicator values & counts)	1 +2	Retain Ind2:= 0 /1 / 2 / 3 (LC/LCAC/NLM/NAL) Delete Other thesaurus names/geographics Ind2 = 4 / 5 / 6 / 7 / 8	<u>Report/FieldCount</u> Review Indicator values (Right-click)
4	Field	Review for optional processing	Points	Note	MARCEditor
4.A	0xx	Review Record/Field count	1 +1	Identify fields to delete: 012 / 016 / 029 /037	<u>Report/FieldCount</u> Review 0xx field counts
4.B	300	Review Record/Field count	1 +1 each	Identify Multiple 300\$a fields	<u>Report/FieldCount</u> Review \$a subfield counts
4.C	300	Review records for 300\$a data	1 +1	Determine if print or e-text collation is present	<u>FindAll:</u> =300 Field sort & view count
4.D 4.E 4.F 4.G 4.H	5xx 6xx 7xx 8xx 9xx	Review FieldCount report for presence of other non-std fields	1 each +1 each	Delete fields with non-substantial info: 583 / 584 / 590 691 thru 699 790 thru 799 84x, 853-855, 86x thru 87x 886 / 887 / 89x 938	<u>Report/FieldCount</u>
4.I	Misc	Review Records for other vendor pkg/info	1 +5	Identify fields with other vendorPkgs Refer to 856 review: Step 3.H Ex.: ebrary / netLibrary / myiLibrary / Ebook / 24x7	<u>FindAll:</u> (vendorPkg vendorPkg) Field sort & view count Note May use short form of vendorAddy Ex.: (netlibrary netLibrary NetLibrary ebrary e-brary)
5	Field	Local Holdings processing	Points	Note	MARCEditor
5.A	049	Review FieldCount report for presence of 049 field	2 +2	Identify/Delete fields with other Holdings info	<u>Report/FieldCount</u> Review 949 field counts. Examine first record
5.B 5.C	949	Review FieldCount report for presence of 949 field Create local 949\$a subfield using Class# from 050\$a Class# subfield	6	Identify/Delete fields with other Holdings processing info Create field with Class# & std. Holdings Processing info:: Subfields: \$a / \$v / \$w & \$h / \$l / \$x / \$z	<u>Report/FieldCount</u> See additl instructions: For creating class# info etc. in 949
5.D	949	Field lacks \$a Class#	1 +2	Identify records to: update Class#	Tools/Generate Call#s See Addtl Instructions
Amelia C. VanGundy (1APR12; rev 19AUG14)					